



MULIA  
CORNER  
BLOCK



FORMULA TO DETERMINE  
EXTERNAL JOINT WIDTHS FOR  
CURVED GLASS BLOCK PANELS

$$E = (B+I) \times (1+W/R) \quad B$$

- E = external joint width
- I = internal joint width
- B = glass block length
- W = width of glass block
- R = radius of inside curve



MIN. RADIUS 650mm  
FOR 115mm x 80mm BLOCKS  
& 90mm x 80mm BLOCKS

MIN. RADIUS 1050mm  
FOR 190mm x 80mm BLOCKS

MIN. RADIUS 1350mm  
FOR 240mm x 80mm BLOCKS

10mm inside joint = 25mm outside joint  
(can be varied)